



## Smart Hospitality Display

### HQ60A

Brilliant, long-lasting color with Quantum Dot

### Highlights

- Quantum Dot technology for brilliant color at any brightness
- Sleek and slim design that blends seamlessly into any room
- Immersive 3D surround sound with virtual top channel audio
- Instant smartphone content mirroring with one tap
- Smooth app development with refined performance and security
- Manage all displays and the full guest experience seamlessly with powerful LYNK Cloud


### Key features



#### A billion shades of color with Quantum Dot

Quantum Dot technology delivers our finest picture ever. With Color Volume 100%, Quantum Dot takes light and turns it into breathtaking color that stays true at any level of brightness.

\*100% color volume measured in Movie Mode and the DCI-P3 color space, certified by VDE.



#### Sleek and slim, more than ever

Ultra-slim design provides further flexibility, enabling hotel operators to create optimized room layouts that increase guest comfort.

## Key features



### Virtual sound that tracks the action

With 3D surround sound leveraging our virtual top channel audio, any room, small or large, is fully immersed in the audio experience.



### Simply tap to connect

Mirroring movies or music from guests' mobile devices to TV is as simple as a tap. When they tap their in-room TV with their mobile device, the TV senses the tap and mirrors automatically.

\* Tap View is available on Samsung Galaxy devices with Android OS 8.1 and higher.



### Simple, compatible web app development

Beyond its advanced graphics capabilities, Samsung's H.Browser empowers smooth application development. All apps can be stored within the TIZEN OS and are supported by Web Simulator and Remote Web Inspector tools that further refine app performance and security.




### Experience a comprehensive hospitality solution

Samsung LYNK Cloud empowers hotel managers with a powerful set of tools to enhance guests' experiences. LYNK Cloud provides remote display management and can even analyze guests' content use to uncover marketing insights that help hotel managers deliver optimized promotions.


\* Samsung LYNK Cloud solution must be purchased separately.



Quantum Processor  
Lite 4K



Quantum HDR 16X



Adjustable stand



One Remote Control



Ambient Mode+






Multi View

# Specifications




Model		43"	50"	55"	65"	75"
Display	Product	QLED	QLED	QLED	QLED	QLED
	Resolution	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160
Video	Picture Engine	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite	Quantum Processor Lite
	Micro Dimming	Supreme UHD Dimming	Supreme UHD Dimming	Supreme UHD Dimming	Supreme UHD Dimming	Supreme UHD Dimming
	LED Clear Motion	Yes	Yes	Yes	Yes	Yes
	Film Mode	Yes	Yes	Yes	Yes	Yes
	Natural Mode Support	Yes	Yes	Yes	Yes	Yes
	PQI (Picture Quality Index)	3100	3100	3100	3100	3100
	HDR(High Dynamic Range)	Quantum HDR	Quantum HDR	Quantum HDR	Quantum HDR	Quantum HDR
	HDR10+	Certified	Certified	Certified	Certified	Certified
	HLG (Hybrid Log Gamma)	Yes	Yes	Yes	Yes	Yes
	Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast
Color	100% Color Volume with Quantum Dot	100% Color Volume with Quantum Dot	100% Color Volume with Quantum Dot	100% Color Volume with Quantum Dot	100% Color Volume with Quantum Dot	
Viewing Angle (H/V)	178/178	178/178	178/178	178/178	178/178	
Contrast Enhancer	Yes	Yes	Yes	Yes	Yes	
Dolby Digital Plus	Yes	Yes	Yes	Yes	Yes	
Sound Output (RMS)	20W	20W	20W	20W	20W	
Speaker Type	2CH	2CH	2CH	2CH	2CH	
Bluetooth Audio	Yes	Yes	Yes	Yes	Yes	
Smart TV	Smart TV Plus	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)	Yes (GB, FR, DE, IT, ES, CH, AT)
VESA	Web Browser	Yes	Yes	Yes	Yes	Yes
	VESA Mount	200 x 200 mm	200 x 200 mm	200 x 200 mm	400 x 300 mm	400 x 400 mm
	VESA Screw Size	M8	M8	M8	M8	M8
	VESA Screw Depth	11-13	11-13	11-13	11-13	11-13
	Mobile to TV - Mirroring, DLNA	Yes	Yes	Yes	Yes	Yes
	WiFi Direct	Yes	Yes	Yes	Yes	Yes
	TV Sound to Mobile	N/A	N/A	N/A	N/A	N/A
	Sound Mirroring	Yes	Yes	Yes	Yes	Yes
	Accessibility	UK English, German, French, Spanish, Italian, Dutch, Polish, Danish, Swedish, Finnish, Norwegian, Portuguese, Russian(only when connecting to Network in EE, LV, LT)				
	Digital Clean View	Yes	Yes	Yes	Yes	Yes
Auto Channel Search	Yes	Yes	Yes	Yes	Yes	
Auto Power Off	Yes	Yes	Yes	Yes	Yes	
Caption (Subtitle)	Yes	Yes	Yes	Yes	Yes	
Connect Share™ (HDD)	Yes	Yes	Yes	Yes	Yes	
ConnectShare™ (USB 2.0)	Yes	Yes	Yes	Yes	Yes	
EPG	Yes	Yes	Yes	Yes	Yes	
OSD Language	27 European Languages + Russian(only when connecting to Network in EE, LV, LT)					
BT HID Built-in	Yes	Yes	Yes	Yes	Yes	
USB HID Support	Yes	Yes	Yes	Yes	Yes	
Teletext (TTX)	Yes	Yes	Yes	Yes	Yes	
Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	Ambient Mode	
MBR Support	Yes	Yes	Yes	Yes	Yes	
IPv6 Support	Yes	Yes	Yes	Yes	Yes	
System	Digital Broadcasting	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2	DVB-T2CS2
	Analog Tuner	Yes	Yes	Yes	Yes	Yes
CI (Common Interface)	CI+(1.4) / CI+(1.4 ECP)_IT only	CI+(1.4) / CI+(1.4 ECP)_IT only	CI+(1.4) / CI+(1.4 ECP)_IT only	CI+(1.4) / CI+(1.4 ECP)_IT only	CI+(1.4) / CI+(1.4 ECP)_IT only	
Data Broadcasting	HbbTV 2.0.2 (IT,GB,DE,CZ,SK,ES,PL,AT,FR,FI,EE,GR,Si,HR,BE,NL,LU,LT,HU,CH,PT,DK,ME)/MHEG 5(I/E)					
Hospitality Feature	H.Browser Compatibility	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ Cloud	Yes	Yes	Yes	Yes	Yes
	Hospitality Home Menu 2.0	Yes	Yes	Yes	Yes	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes	Yes	Yes	Yes	Yes
	Power On Mode	Yes	Yes	Yes	Yes	Yes
	Hotel Channel List	Yes	Yes	Yes	Yes	Yes
	Channel Menu Display	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes
	My Channel	Yes	Yes	Yes	Yes	Yes
	Energy Saving Mode (BLU Control)	Yes	Yes	Yes	Yes	Yes
RJ12/IR Pass Through	Yes	Yes	Yes	Yes	Yes	
Clock Back Up Supply	Yes	Yes	Yes	Yes	Yes	
USB Cloning	Yes	Yes	Yes	Yes	Yes	
Soft AP	Yes	Yes	Yes	Yes	Yes	
Wake-up Timer (Alarm)	Yes	Yes	Yes	Yes	Yes	
Samsung LYNK™ DRM	Yes	Yes	Yes	Yes	Yes	
Security Mode	Yes	Yes	Yes	Yes	Yes	
Input & Output	HDMI	3	3	3	3	3
	USB	2	2	2	2	2
	Ethernet (LAN)	Yes	Yes	Yes	Yes	Yes
	Digital Audio Out (Optical)	1	1	1	1	1
	RF In (Terrestrial / Cable input / Satellite Input)	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1	1/1(Common Use for Terrestrial)/1
	CI Slot	1	1	1	1	1
	HDMI A / Return Ch. Support	Yes	Yes	Yes	Yes	Yes
	WiFi	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)	Yes (WiFi5)
	Anynet+ (HDMI-CEC)	Yes	Yes	Yes	Yes	Yes
	Piilow Speaker Jack	N/A	N/A	N/A	N/A	N/A
Variable Audio Out	Yes	Yes	Yes	Yes	Yes	
Variable Audio Out Volume Control	Yes	Yes	Yes	Yes	Yes	
RJ12	Yes	Yes	Yes	Yes	Yes	
Ethernet Bridge (LAN-Out)	Yes	Yes	Yes	Yes	Yes	
Design	Front Color	BLACK	BLACK	BLACK	BLACK	BLACK
	Stand Type	FLOAT LIFT	FLOAT LIFT	FLOAT LIFT	FLOAT LIFT	FLOAT LIFT
Eco	Bezel Type	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less	3 Bezel-less
	Energy Efficiency Class	G	G	F	F	F
Power	Eco Sensor	Yes	Yes	Yes	Yes	Yes
	Power Supply (V)	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz	AC220-240V 50/60Hz
	Power Consumption (Max)	125 W	140 W	145 W	170 W	230 W
	Power Consumption (Energy Saving Mode)	N/A	N/A	N/A	N/A	N/A
Dimension	Power Consumption (Stand-by)	0.50 W	0.50 W	0.50 W	0.50 W	0.50 W
	Power Consumption (Typical)	62.0 W	70.0 W	77.0 W	102 W	129 W
	Set Dimension without Stand (WxHxD)	965.5 x 559.8 x 25.7 mm	1118.3 x 644.5 x 25.7 mm	1232.1 x 708.8 x 25.7 mm	1450.9 x 831.8 x 25.7 mm	1676.7 x 960.5 x 26.6 mm
	Set Dimension with Stand (WxHxD)	965.5 x 599.8 x 205.6 mm	1118.3 x 683.6 x 228.8 mm	1232.1 x 747.8 x 228.8 mm	1450.9 x 871.0 x 281.8 mm	1676.7 x 1005.5 x 340.4 mm
Weight	Package Dimension (WxHxD)	1093 x 677 x 129 mm	1246 x 771 x 137 mm	1399 x 846 x 148 mm	1612 x 950 x 164 mm	1834 x 1110 x 190 mm
	Set Weight without Stand	8.4 kg	11.5 kg	15.5 kg	20.9 kg	32.1 kg
	Set Weight with Stand	8.9 kg	12.2 kg	16.2 kg	21.8 kg	33.3 kg
	Package Weight	12.1 kg	16.4 kg	22.5 kg	28.8 kg	43.6 kg
Accessory	Remote Controller Model	TM2180E	TM2180E	TM2180E	TM2180E	TM2180E
	Samsung Smart Control (Included)	Yes	Yes	Yes	Yes	Yes
	Mini Wall Mount Supported	Yes	Yes	Yes	Yes	N/A
	VESA Wall Mount Supported	Yes	Yes	Yes	Yes	Yes
	Power Cable	Yes	Yes	Yes	Yes	Yes
	Quick Install Guide	Yes	Yes	Yes	Yes	Yes
	Data Cable	Yes	Yes	Yes	Yes	Yes
Optional Stand Support (Studio)	N/A	N/A	Yes	Yes	N/A	

# Technical drawings




43"






50"



55"




65"




## Technical drawings

75"



## Connectors



### About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at [news.samsung.com](https://news.samsung.com).

### Hospitality Display

For more information about Samsung Hospitality Displays, visit [www.samsung.com/business](https://www.samsung.com/business) or [www.samsung.com/displaysolutions](https://www.samsung.com/displaysolutions)

Copyright © 2021 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.  
416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea